


Fresh

Bathroom fan S125

Cat. Part Number 197114

• Three models per dimension • Approved for installation in wet areas • Can be installed in both wall and ceiling • Backdraught protection included (can be easily removed if necessary)



Functions

B

Tecnicl data

Installation type, wall, ceiling etc	Horizontal , Vertical
Free to air Max (m3/h)	0
Max watt(W)	0
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Type of motor	AC
Protection (IP)	IP X4
Duct size nominal Ø (mm)	125
Unpackaged Product Width (mm)	185
Unpackaged Product Height (mm)	185
Unpackaged Product Depth (mm)	150
Material	Plastic
Plastic Material detail	ABS
Etim Code	EC001141

Description

Bathroom fans designed for wall or ceiling mounting in spaces in need of exhaust air. Examples of spaces: toilet,

bathroom and laundry room.

Accessories



**Grille
moulded D125
alu**

Cat 447216



**Grille with
adapter D125
alu.**

Cat 440211



**Pipe
telescopic
D125 L=250-
450**

Cat 291221



Chuck D32-210
Cat 804046



**Chuck
extender D32-
210**

Cat 804048



Hole saw D127
Cat 804044